## FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO Phillips 66 Company

AUTHORIZING THE OPERATION OF Borger Refinery Johnson Tank Farm Petroleum Refineries

LOCATED AT

Hutchinson County, Texas
Latitude 35° 43' 14" Longitude 101° 25' 21"
Regulated Entity Number: RN102495884

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No:	O4130	Issuance Date:	
For the Co	nmission		

# **Table of Contents**

Section	Page
General Terms and Conditions	1
Special Terms and Conditions:	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
New Source Review Authorization Requirements	4
Compliance Requirements	
Risk Management Plan	
Permit Location	6
Permit Shield (30 TAC § 122.148)	6
Attachments	7
Applicable Requirements Summary	8
Permit Shield	
New Source Review Authorization References	16
Appendix A	19
Acronym List	

#### **General Terms and Conditions**

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

#### **Special Terms and Conditions:**

### Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

- 1. Permit holder shall comply with the following requirements:
  - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
  - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.
  - C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
  - D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
- 2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):

- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
- B. Title 30 TAC § 101.3 (relating to Circumvention)
- C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
- D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
- E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
- F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
- G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
- H. Title 30 TAC § 101.221 (relating to Operational Requirements)
- I. Title 30 TAC § 101.222 (relating to Demonstrations)
- J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
- 3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
  - A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
    - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
    - (ii) Title 30 TAC § 111.111(a)(1)(E)
    - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
    - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO<sub>x</sub>, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the "Applicable Requirements Summary" attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:

- (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
- (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
  - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
  - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as

- required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.
- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.
- B. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.
- C. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
  - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
  - (ii) Sources with an effective stack height ( $h_e$ ) less than the standard effective stack height ( $H_e$ ), must reduce the allowable emission level by multiplying it by [ $h_e/H_e$ ]<sup>2</sup> as required in 30 TAC § 111.151(b)
  - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
- D. Outdoor burning, as stated in 30 TAC § 111.201, shall not be authorized unless the following requirements are satisfied:
  - (i) Title 30 TAC § 111.205 (relating to Exception for Fire Training)
  - (ii) Title 30 TAC § 111.221 (relating to Responsibility for Consequences of Outdoor Burning)

#### **New Source Review Authorization Requirements**

- 4. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
  - A. Are incorporated by reference into this permit as applicable requirements
  - B. Shall be located with this operating permit
  - C. Are not eligible for a permit shield
- 5. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
- 6. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source

Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).

### **Compliance Requirements**

- 7. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
- 8. Use of Discrete Emission Credits to comply with the applicable requirements:
  - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
    - (i) Title 30 TAC Chapter 115
    - (ii) Title 30 TAC Chapter 117
    - (iii) If applicable, offsets for Title 30 TAC Chapter 116
    - (iv) Temporarily exceed state NSR permit allowables
  - B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
    - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
    - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
    - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
    - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
    - (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

### **Risk Management Plan**

9. For processes subject to 40 CFR Part 68 and specified in 40 CFR § 68.10, the permit holder shall comply with the requirements of the Accidental Release Prevention Provisions in 40 CFR Part 68. The permit holder shall submit to the appropriate agency either a compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR § 68.10(a), or as part of the compliance certification submitted under this permit, a certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of a risk management plan.

#### **Permit Location**

10. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

### Permit Shield (30 TAC § 122.148)

11. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

	-				
Atta	ch	m	^	n	tc
MILA	u		C		LЭ

**Applicable Requirements Summary** 

**Permit Shield** 

**New Source Review Authorization References** 

### **Applicable Requirements Summary**

Unit Summary	9
Applicable Requirements Summary	10

Note: A "none" entry may be noted for some emission sources in this permit's "Applicable Requirements Summary" under the heading of "Monitoring and Testing Requirements" and/or "Recordkeeping Requirements" and/or "Reporting Requirements." Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

## **Unit Summary**

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
66FL10	FLARES	N/A	R1111-1	30 TAC Chapter 111, Visible Emissions	No changing attributes.
66FL11	FLARES	N/A	R1111-1	30 TAC Chapter 111, Visible Emissions	No changing attributes.
66FL8	FLARES	N/A	R1111-1	30 TAC Chapter 111, Visible Emissions	No changing attributes.

## **Applicable Requirements Summary**

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
66FL10	CD	R1111-1	Opacity	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(4)(A)	Visible emissions from a process gas flare shall not be permitted for more than five minutes in any two-hour period, except for upset emissions as provided in §101.222(b).	§ 111.111(a)(4)(A)(i) § 111.111(a)(4)(A)(ii)	§ 111.111(a)(4)(A)(ii)	None
66FL11	CD	R1111-1	Opacity	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(4)(A)	Visible emissions from a process gas flare shall not be permitted for more than five minutes in any two-hour period, except for upset emissions as provided in §101.222(b).	§ 111.111(a)(4)(A)(i) § 111.111(a)(4)(A)(ii)	§ 111.111(a)(4)(A)(ii)	None
66FL8	CD	R1111-1	Opacity	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(4)(A)	Visible emissions from a process gas flare shall not be permitted for more than five minutes in any two-hour period, except for upset emissions as provided in §101.222(b).	§ 111.111(a)(4)(A)(i) § 111.111(a)(4)(A)(ii)	§ 111.111(a)(4)(A)(ii)	None

	Permit Shield	
Permit Shield		1

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
5539	N/A	40 CFR Part 60, Subpart K	Constructed on or before June 11, 1973; not modified or reconstructed after June 11, 1973
5539	N/A	40 CFR Part 63, Subpart CC	Not located at a plant site, as defined in 40 CFR Part 63, Subpart CC §63.641, with a petroleum refinery
5539	N/A	40 CFR Part 63, Subpart EEEE	Does not contain or contact liquids in organic liquid service as defined in MACT EEEE (i.e., No. 1 and No. 2 distillate oils are among those excluded from the definition of organic liquid service)
5539	N/A	40 CFR Part 63, Subpart OO	Not subject to another subpart within 40 CFR Part 60, 61, or 63 that references the use of this subpart for air emission control
5540	N/A	40 CFR Part 60, Subpart K	Constructed on or before June 11, 1973; not modified or reconstructed after June 11, 1973
5540	N/A	40 CFR Part 63, Subpart CC	Not located at a plant site, as defined in 40 CFR Part 63, Subpart CC §63.641, with a petroleum refinery
5540	N/A	40 CFR Part 63, Subpart EEEE	Does not contain or contact liquids in organic liquid service as defined in MACT EEEE (i.e., No. 1 and No. 2 distillate oils are among those excluded from the definition of organic liquid service)
5540	N/A	40 CFR Part 63, Subpart OO	Not subject to another subpart within 40 CFR Part 60, 61, or 63 that references the use of this subpart for air emission control

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
5543	N/A	40 CFR Part 60, Subpart K	Constructed on or before June 11, 1973; not modified or reconstructed after June 11, 1973
5543	N/A	40 CFR Part 63, Subpart CC	Not located at a plant site, as defined in 40 CFR Part 63, Subpart CC §63.641, with a petroleum refinery
5543	N/A	40 CFR Part 63, Subpart EEEE	Does not contain or contact liquids in organic liquid service as defined in MACT EEEE (i.e., No. 1 and No. 2 distillate oils are among those excluded from the definition of organic liquid service)
5543	N/A	40 CFR Part 63, Subpart OO	Not subject to another subpart within 40 CFR Part 60, 61, or 63 that references the use of this subpart for air emission control
5544	N/A	40 CFR Part 60, Subpart K	Constructed on or before June 11, 1973; not modified or reconstructed after June 11, 1973
5544	N/A	40 CFR Part 63, Subpart CC	Not located at a plant site, as defined in 40 CFR Part 63, Subpart CC §63.641, with a petroleum refinery
5544	N/A	40 CFR Part 63, Subpart EEEE	Does not contain or contact liquids in organic liquid service as defined in MACT EEEE (i.e., No. 1 and No. 2 distillate oils are among those excluded from the definition of organic liquid service)
5544	N/A	40 CFR Part 63, Subpart OO	Not subject to another subpart within 40 CFR Part 60, 61, or 63 that references the use of this subpart for air emission control

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
5545	N/A	40 CFR Part 60, Subpart K	Constructed on or before June 11, 1973; not modified or reconstructed after June 11, 1973
5545	N/A	40 CFR Part 63, Subpart CC	Not located at a plant site, as defined in 40 CFR Part 63, Subpart CC §63.641, with a petroleum refinery
5545	N/A	40 CFR Part 63, Subpart EEEE	Does not contain or contact liquids in organic liquid service as defined in MACT EEEE (i.e., No. 1 and No. 2 distillate oils are among those excluded from the definition of organic liquid service)
5545	N/A	40 CFR Part 63, Subpart OO	Not subject to another subpart within 40 CFR Part 60, 61, or 63 that references the use of this subpart for air emission control
66FL10	N/A	40 CFR Part 60, Subpart A	Control device not used to comply with applicable subparts of 40 CFR parts 60 and 61
66FL10	N/A	40 CFR Part 60, Subpart J	Not located in a petroleum facility
66FL10	N/A	40 CFR Part 60, Subpart Ja	Not located in a petroleum facility
66FL10	N/A	40 CFR Part 63, Subpart A	Control device not used to comply with applicable subparts of 40 CFR part 63
66FL11	N/A	40 CFR Part 60, Subpart A	Control device not used to comply with applicable subparts of 40 CFR parts 60 and 61
66FL11	N/A	40 CFR Part 60, Subpart J	Not located in a petroleum facility
66FL11	N/A	40 CFR Part 60, Subpart Ja	Not located in a petroleum facility
66FL11	N/A	40 CFR Part 63, Subpart A	Control device not used to comply with applicable subparts of 40 CFR part 63

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
66FL8	N/A	40 CFR Part 60, Subpart A	Control device not used to comply with applicable subparts of 40 CFR parts 60 and 61
66FL8	N/A	40 CFR Part 60, Subpart J	Not located in a petroleum facility
66FL8	N/A	40 CFR Part 60, Subpart Ja	Not located in a petroleum facility
66FL8	N/A	40 CFR Part 63, Subpart A	Control device not used to comply with applicable subparts of 40 CFR part 63
F-68-4T	N/A	40 CFR Part 60, Subpart VV	Not in the synthetic organic chemicals manufacturing industry
F-68-4T	N/A	40 CFR Part 63, Subpart CC	Not located at a plant site, as defined in 40 CFR Subpart CC §63.641, with a petroleum refinery

### **New Source Review Authorization References**

New Source Review Authorization References	. 17
New Source Review Authorization References by Emission Unit	. 18

## **New Source Review Authorization References**

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.		
Authorization No.: 155341	Issuance Date: 07/17/2019	
Permits By Rule (30 TAC Chapter 106) for the Application Area		
Number: 106.261	Version No./Date: 11/01/2003	
Number: 106.262	Version No./Date: 11/01/2003	
Number: 106.263	Version No./Date: 11/01/2001	

## New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
5539	TANK 5539	155341
5540	TANK 5540	155341
5543	TANK 5543	155341
5544	TANK 5544	155341
5545	TANK 5545	155341
66FL10	FLARE 66FL10	155341
66FL11	FLARE 66FL11	155341
66FL8	FLARE 66FL8	155341
F-68-4T	FUGITIVES	155341

	Appendix A	
Acronym List		20

## **Acronym List**

The following abbreviations or acronyms may be used in this permit:

	actual aubia fact par minuta
	actual cubic feet per minute
	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA	Beaumont/Port Arthur (nonattainment area)
	continuous emissions monitoring system
	continuous opacity monitoring system
CVS	closed vent system
D/FW	
	emission point
	U.S. Environmental Protection Agency
	emission unit
	Federal Clean Air Act Amendments
	federal operating permit
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	
	hydrogen sulfide
	identification number
lb/hr	pound(s) per hour
	Maximum Achievable Control Technology (40 CFR Part 63)
	Millian Dritich thormal units nor hour
MMBtu/hr	Million British thermal units per hour
	nonattainment
NA	nonattainment
NA N/A	nonattainmentnot applicable
NA N/A NADB	nonattainment not applicable National Allowance Data Base
NA N/A NADB NESHAP	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61)
NA	nonattainmentnot applicable
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60)
NA	nonattainmentnot applicable
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60)
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter
NA  N/A  NADB  NESHAP  NOx  NSPS  NSR  ORIS  Pb  PBR  PEMS  PM  ppmv  PRO	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit prevention of significant deterioration pounds per square inch absolute
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit prevention of significant deterioration pounds per square inch absolute state implementation plan
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit prevention of significant deterioration pounds per square inch absolute state implementation plan sulfur dioxide
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit prevention of significant deterioration pounds per square inch absolute state implementation plan sulfur dioxide Texas Commission on Environmental Quality
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit prevention of significant deterioration pounds per square inch absolute state implementation plan sulfur dioxide Texas Commission on Environmental Quality total suspended particulate
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit prevention of significant deterioration pounds per square inch absolute state implementation plan sulfur dioxide Texas Commission on Environmental Quality total suspended particulate true vapor pressure
NA	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit prevention of significant deterioration pounds per square inch absolute state implementation plan sulfur dioxide Texas Commission on Environmental Quality total suspended particulate
NA  N/A  NADB  NESHAP  NOx  NSPS  NSR  ORIS  Pb  PBR  PEMS  PM  ppmv  PRO  PSD  psia  SIP  SO2  TCEQ  TSP  TVP  U.S.C.	nonattainment not applicable National Allowance Data Base National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) nitrogen oxides New Source Performance Standard (40 CFR Part 60) New Source Review Office of Regulatory Information Systems lead Permit By Rule predictive emissions monitoring system particulate matter parts per million by volume process unit prevention of significant deterioration pounds per square inch absolute state implementation plan sulfur dioxide Texas Commission on Environmental Quality total suspended particulate true vapor pressure